iam your favourite

Una-

Gas fires 2022/2023



The fire specialists since 1754

What could be cosier than a burning hearth fire? Whether you prefer a classic or a sleek design, at DRU you will find your ideal gas fire. Thanks to our knowledge and expertise – we have nigh on 270 years' experience when it comes to providing comfortable, sustainable, safe heat in the home – we will always offer the best solution for you. Our innovative craftsmanship is in evidence in each and every model in our series of modern gas fires, all of which satisfy extremely strict requirements in terms of sustainability, efficiency, emissions, safety and ease of use. After all, we keep improving, each and every year. If you want to heat your home in style, choose DRU.



Balance between people and their surroundings

At DRU, customer satisfaction and efficiency go hand in hand with safety and environmental friendliness.



Premium-quality ambition

We do what we say and say what we do. We are ambitious and critical and continuously improve ourselves.



The convenience that makes the difference

Convenience for the end user is always key Our focus: working on smart, innovative, comfortable products.



Continuous development

We are curious, keen to learn an forward-thinking. Progress only comes from continuous development.



See our fires burning Scan the QR codes next to the fires and see them in action.

i am consciously comfortable

Ultimate heat, atmosphere and convenience? That's what I offer you. Install me wherever you want and I'll provide the most beautiful fire. I can be operated from the comfort of your sofa and no wood is required. Entirely safe, clean and simple, then. And did you know I'm future-proof too? I'm a sustainable alternative when used with biogas or biopropane. In short, I offer you nothing but benefits and I'm sure I'll be the perfect addition to your home!



contents

About DRU

| Lifestyle | 4 |
|-----------------------------|----|
| Environment and consumption | 6 |
| Interior and wall panels | 8 |
| Innovations | 10 |
| Gas and sustainability | 12 |

DRU fires

| Maestro fires | 14 |
|-----------------------------------|----|
| Metro fires | 34 |
| Lugo fires | 50 |
| Cosmo fires | 54 |
| Paco fires | 58 |
| Free-standing and suspended fires | 62 |

DRU Global fires

| Global fires | 72 |
|------------------------|----|
| Closed combustion (BF) | |
| Global fires | 72 |
| Open combustion (CF) | |

Technical details

| Installation options | 84 |
|--------------------------|----|
| Frames | 86 |
| Control and accessories | 88 |
| Line drawings | 90 |
| Technical specifications | 96 |

how will I fit in with your life?

I'd be a great choice for your living room. After all, you want atmosphere and cosiness at home as well as warmth and comfort. I come in all shapes and sizes. Discover the best way to integrate me into your home here!



Stylish and warm

Keen to find a new fire to heat your home or is atmosphere your priority? What you are ultimately looking for will decide the first step towards finding your new fire.

Design for all

Do you prefer a classic design or sleek and modern? At DRU, you will find fires for every taste and every space. From built-in to free-standing fires, from front fires to 3-sided fires or even a tunnel model. The choice is yours!



Our range of fires



Space and output

The gas fire's ideal output will depend on the space in which it is to be installed, how well your house is insulated and the fire usage: do you switch it on every day or just during the weekend, for instance? Thus ensuring you always choose the most sustainable solution for your home.

Get inspired

At an authorised DRU dealer in your area you can get tailored advice and take a closer look at our models. This way, you can make a well-considered choice for a fire you'll enjoy for years to come.

bespoke atmosphere and heat

Less consumption, less heat, without compromising on atmosphere. Sounds great, right? I'm Eco Wave and I'll take care of it for you! Actually, we'll do it together, as you can control consumption and the flames. With my help, you'll be able to enjoy realistic flames in your stylish fire all year round. Efficient, elegant and easy to use.



Control over your energy

Our unique Eco Wave technology in the gas fire burners will reduce your gas consumption by up to 50% without affecting the atmosphere in your home, thus enabling you to enjoy a stunning flame picture all year round *and* have full control over your consumption. Controlling the heat, flames and consumption is very simple using the DRU app or DRU remote control. There is a choice of two different standby modes or you can even develop your own standby mode, making it very sustainable!



Eco Glow

100% atmosphere, 0% heat

Prefer to drop the heat and keep the atmosphere? Then switch to the Eco Glow function. Eco Glow enables you to enjoy a glowing fire thanks to its burner bed. This realistic burner bed does not give off any heat and can be controlled separately. This means you will be able to control the atmosphere in your home using the app or remote control.



a unique look

Everyone has their own tastes. And a good thing too, because endless combinations are possible with me. Would you prefer a black, sleek internal lining or a more robust look? And what do you want the wall panels to look like? At DRU, you can choose your own design,

right down to the tiniest details.

Choose your own design

You can choose the internal lining* of pretty much all of our gas fires yourself. 6 different designs are available: black, ceraglass, matt glass, rib cast, classic stone (DRU) and classic stone (DRU Global). Each design does something different to the inside of your fire. Black is sleek and is ideal in a modern living room. Ceraglass has a beautiful mirror effect, creating extra depth in the fire. Rib cast is our most robust internal lining. Last but not least, you can choose from 2 types of classic stone, each with a classic look.

* Available on some models.





Ceraglass Matt glass Rib cast Classic stone Cla (DRU) (DR

stone Classic stone (DRU Global)





Complete your fire with wall panels

You can also choose the look of the exterior of the fire yourself. Our rib cast wall panels* will make your fire interior even better. The wall panels are about 30 cm wide. The height depends on the type of fire and is fully tailored to that.

* Available on some models.



Read more on Clear View glass Scan the QR code.

Clear View glass

innovations

perfect view

The perfect view of my flames obviously depends on the quality of the glass used. Would you prefer anti-reflective glass or not?

And how should you keep that clean? Fortunately, our manufacturers have thought of everything to enable you to enjoy me unhindered.

Ultra-clear view of the flames

Having a good view of the flames means extra enjoyment of your burning gas fire. Which is why at DRU you can choose Clear View glass*: anti-reflective glass providing an optimum view of the flames. This glass is ideal in rooms with little direct sunlight or in dark-coloured interiors.

* Available on pretty much all models in the range

Easy release door system

clean in no time at all

A variety of our gas fires come with a handy drop-down door. Easy to open without force, ideal for quick cleaning of the glass panes and annual maintenance by an engineer.

- Can be opened directly without unscrewing or without tools or force
- $\cdot\,$ Subtle, concealed door lock
- Invisible frames for more glass surface and unhindered view of the flames
- $\cdot\,$ Seamless glass-on-glass in 2-sided and 3-sided models
- Closely sealed: safe, optimum burning





for every type of gas

My designers don't just look at the design when developing energy-efficient fires and heaters. They also ensure maximum flexibility. Which is why we can all run on various types of gas... making us suitable for any property!



Why should you still go for gas?

Gas has been a much-discussed fuel in recent years. Gas prices have been soaring due to all kinds of international developments. And fewer and fewer (new-build) properties have any gas connection at all. But did you know that a gas fire is still a very sustainable, future-proof choice? Even if you don't have a gas connection, as is the case in several countries. We will be happy to highlight the benefits of a DRU gas fire.

Various types of gas

Dru gas fires run on various types of gas. Natural gas, of course, but also all kinds of sustainable bottled gas, such as biogas (methane and propane). Biogas is released from waste, residues and plant oils, making it a sustainable type of gas and an environmentally friendly alternative to natural gas. Hence you will be using renewable energy and avoiding fossil fuels. In addition, DRU gas fires have already been prepared for a substantial hydrogen blend percentage.

Highly efficient

A gas fire is a highly efficient source of heat. You will only be heating the room you are in and not lots of other ones. What's more, DRU gas fires burn extremely efficiently. Nigh on all the heat produced (up to 90%) goes straight into the living room, meaning very little heat loss. And you will have full control over this heat. Keen to reduce the heat but keep the atmosphere? Then switch over to the unique functions that our gas fires boast, such as Eco Wave or Eco Glow. Now that's responsible enjoyment!

Ready for the future

VBS

You may well have a gas connection now but want to wean yourself off gas in the future. In which case, you can't go wrong with a DRU gas fire. Even after purchasing a fire, you will still have the option of switching over to a different type of gas, such as (bio)propane. Thus giving you control over whether or not you want to continue using natural gas as a source of heat. What's more, DRU gas fires are prepared for a hydrogen blend of up to 20%. If your gas network is ready, so are we!

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Guaranteeing you heat and cosiness for many years to come!

This brochure only features images of gas fires that run on natural gas. Flame colour may vary when a fire is running on another type of gas.





I'm the most exclusive model within the DRU gas fire collection. The fact that I come in various shapes and sizes means I'll suit practically any interior. And thanks to my unique burner technology, you're always assured the most beautiful fire with lively flames. What luxury!



3-sided XTU

75XTU Eco Wave



3-sided 60/3 Eco Wave 60/3 Tall Eco Wave 80/3 Eco Wave 105/3 Eco Wave



2-sided 60/2 *Eco Wave* 60/2 Tall *Eco Wave* 80/2 *Eco Wave* 105/2 *Eco Wave*



Front 60 Eco Wave 60 Tall Eco Wave 75 Eco Wave 100 Eco Wave



Tunnel 75 Tunnel Eco Wave 75 Tunnel Tall Eco Wave





flame

Dynamic Flame Burner®

Lively, natural flames built like a real log fire. The double burners ensure extra height and depth in the fire.

control

Controlling your fire is really straightforward with the remote control that comes with me as standard



 \square

Also use our handy **free app** for full control over your fire.



Easy connection for control via vour Home Domotica System



Black

Ceraalass Rib cast Classic stone (DRU)

useful to know

Easy release door system Ŵ

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.

VBS **VBS**

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

Direct flue

We will happily give you full freedom to install your fire wherever you want. You could (for example) have the extraction for your fire run through the façade. The extractor will connect straight up to the fire and run with a 90° bend to the exterior

choose your look

Interior

Choose the internal lining that suits your interior.

Wall panels

Our rib cast wall panels will complete your fire's look.

Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

Maestro fires include a realistic log set in brown.



Log set brown

Frames [+]

Our fires come with a frame as standard, but are also available with customised frames or frameless.

DV[®] PowerVent[®]

PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.

sustainability

Eco Glow



Maestro 75XTU Eco Wave

Characteristics

- Luxury, elegant room divider
- · Can also be suspended or built in semi-high









Scan this QR code to see the fire burning.



Maestro 60/3 Eco Wave

Characteristics:

- Extremely beautiful with ceraglass interior
- Also suitable for smaller rooms

Choose your own size:

| 60/3 TALL 80/3 105/3 | | 60/7 | | |
|----------------------|------|--------------|------|-------|
| | 60/3 | 60/3 TALL | 80/3 | 105/3 |

| Output range | | Efficiency | aaa ECO | Ê | | [+] | |
|-------------------|--------------|------------|------------|-----|-----|-----------------|-----|
| Natural gas G20 | 1.9 - 7.2 kW | 94.3% | ECO | | • | | 000 |
| Natural gas G25.3 | 1.6 - 6.8 kW | | × | | | | |
| Propane G31 | 1.1 - 7.3 kW | A | ☆ | VBS | T 🔊 | PV [®] | |







Maestro 60/3 Tall Eco Wave

Characteristics:

- Modern high glass pane
- · Ample options available for luxury finish

Choose your own size:



Maestro 80/3 Eco Wave

Characteristics:

- Unhindered view of the flames
- Wide output range

Choose your own size:



| Output range | | Efficiency | add ECO | VBS | | PV* |
|-------------------|--------------|------------|------------|-----|------------------------|---------|
| Natural gas G20 | 1.4 - 9.0 kW | 93.0% | ECO | VBS | 1 | PV* |
| Natural gas G25.3 | 1.3 - 8.6 kW | | | | [. , 1] | |
| Propane G31 | 1.3 - 7.7 kW | A | \$ | • | [+] | <u></u> |
| | | | | | | |











Maestro 105/3 Eco Wave

Characteristics:

- Natural full flames
- Sleek and can be built in frameless

Choose your own size:

(see p. 90 for precise dimensions)



| Output range Natural gas G20 | 2.5 - 10.3 kW | Efficiency 91.2% | ECO | \bigtriangleup | Ċ | + | [+] |
|--|-------------------------------|----------------------------|-----|------------------|-----|---|-------------|
| Natural gas G25.3 Propane G31 | 2.1 - 9.8 kW 2.6 - 10.5 kW | A | \$ | | VBS | | ₽ ₩* |



Maestro 60/2 Eco Wave

Characteristics:

Beautiful corner fire for smaller rooms

Choose your own size:

(see p. 90 for precise dimensions)

| | Beautiful corner fire for sn | naller rooms | | (see p. 9 | 0 for precise | e dimensior | s) | | | | |
|---------------------|---|--------------|--------------------|-------------|------------------|-------------|-------|---|---------------------------|--------------|---|
| | Extremely efficient | | | 60/2 | 60/2 TALL | 80/2 | 105/ | 2 | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | Output range | | Efficiency | Rada ECO | | | | E-1 | | | |
| | Natural gas G20 | 1.9 - 7.2 kW | 94.3% | ECO | \bigtriangleup | Ċ | • | [+] | | | |
| | Natural gas G25.3 | 1.6 - 6.8 kW | | | | | | - | | | |
| | Propane G31 | 1.1 - 7.3 kW | A | ⋫ | | VBS | 1 | PV* | | | |
| | | | | _ | | | | | | | |
| 4 | | | | | | | | | | | |
| | | | | | | | | | | | |
| - | 2000 | | | | | | | | | | |
| 18 97 | 1.20.50 | | | | | | 3 | | | | |
| all the | | | | | | 100 | | | | | |
| 1. 1. 1. 1. | Section and the | | | | | | 1. | | Same and | | |
| 1.2.5 | L'La Cherry | | | | | | | | | | |
| | A CONTRACTOR OF THE OWNER | | 1000 | | | | | | | | |
| Contraction of the | | | | | | | | 1 | | | |
| 1 2.227 | | | 110 10 10 10 10 10 | | | | | | | | |
| al are- | AND ALL ALL | | | | | | | | | | |
| 建 医动脉管 | COLUMN TOTAL | | 4.1 | | | | | | | n ni | |
| a zeres | ACCESS TREAM | | | | | | | 1 | | R | |
| | | | - | _ | | | | | W AND | | |
| | | | | | | | 1 | | (In any | | |
| I REPORT | 11.100 - 21.00 - 21.00 | 10000 | | | | | 3 | The second se | Contraction of the second | | |
| - | NORTHING | | | | | | | | Dimine - | | |
| 10. 10. 10. 10 M | MARTIN STATES | | 1.10 | 10 10 | | | | A | Concernance. | | - |
| St 200 . | WANKERSON STOL | | | | | | | | | | |
| EL HURSDA | | | | | | | | 10 | | | |
| NAL CONTRACTOR | THE REAL PROPERTY AND INCOME. | | " Leni | S.A. | | | | West AL | | | |
| and a second second | | | | | | - | 1.000 | | | | |
| TO THE ALARMA | MARCHINE AND ADDRESS OF THE OWNER | | | | | - | | | 8 - / · | | |
| IS (Generality) | A DESCRIPTION OF THE OWNER OF THE | | | | | | | | | | |
| X | THE OWNER WATER OF | | | | - | | | | | | |
| and the second | | | | | | | | | | | |
| - | | | | | | | | | | 彩版相回 | |
| | | | | | | | | | | | |
| - | | | | | | | | | | | |
| | Contraction of the | | | | | | | | | 按数组 : | |

22





Maestro 60/2 Tall Eco Wave

Characteristics:

- Modern high window
- Also suitable for smaller rooms

Choose your own size:





Maestro 80/2 Eco Wave

Characteristics: Choose your own size: • Optimum fire experience (see p. 90 for precise dimensions) • Sleek and can be built in frameless 60/2 60/2 TALL 80/2 105/2 Output range Efficiency PV[®] \bigtriangleup VBS end ECO 93.0% Natural gas G20 1.4 - 9.0 kW Natural gas G25.3 1.3 - 8.6 kW ⋪ • [+] 000 1.3 - 7.7 kW Propane G31 Scan this QR code to see the fire burning.



Maestro 105/2 Eco Wave

| Characteristics:Perfect as part of TV furnitureCan be suspended | | | your own s I for precise 60/2 TALL | s) 105/: | 2 | | |
|---|---------------------|-----------|---|-------------|----|-------------|----|
| Output rangeNatural gas G202.5 - 10.3 kWNatural gas C25.32.1 - 9.8 kWPropane G312.6 - 10.5 kW | Efficiency 91.2% | 665 \$ | | | E. | | |
| | | | | | | | |
| Scan this QR code to see the fire burning. | | | and | | 2 | sided fires | 25 |



Maestro 60 Eco Wave

| | Characteristics:Perfect for smalAmple view of the second sec | nes | Choose your own size: (see p. 91 for precise dimensions) | | | | | | | | | |
|----|--|-----|---|----------------------------|---------|------------|-------|-------|-----|-----------------------------|---------------------|--|
| | Output Natural g Natural g | | 1.9 - 7.5 kW 1.6 - 6.8 kW | Efficiency 94.3% | 60 | 60 TALL | 75 | 75 TA | [+] | 100 | | |
| | Propane | G31 | 1.1 - 7.3 kW | A | | | | | R. | | | |
| | | | | | | | | | | | | |
| | | | | | ja A | | | | | | | |
| | | | | | | <u>4</u> 1 | 2 | | | | | |
| 26 | Eront fires | | | | | | - | | te | Scan this o see the fire | QR code burning. | |





Maestro 60 Tall Eco Wave

Characteristics:

- Modern vertical appearance

Choose your own size:





Maestro 75 Eco Wave





Maestro 75 Tall Eco Wave

| | Characteristics:Superb view of the flames | | | | | | Choose your own size: (see p. 91 for precise dimensions) | | | | | |
|--|--|---------------------|----|------------|--------|---------|--|-------------|--|--|--|--|
| Can also be installed fr | ee-standing | | 60 | 60 TALL | 75 | 75 TALI | _ | 100 | | | | |
| Output range Natural gas G20 Natural gas G25 Propane G31 | | Efficiency 91.0% | | | ₫ ∰ | | •••• | 4 42 | | | | |
| Scan this QR code to see the fire burning. | | | | | | | | Front fires | | | | |



Maestro 100 Eco Wave









Maestro 75 Tunnel Eco Wave

Choose your own size:

Characteristics:

| | Subtle, elegant tunnel fire Enjoy a beautiful fire from 2 rooms | | | | (see p. 91 for precise dimensions) | | | | | | |
|----|--|--|---------------------|----|------------------------------------|-----------|----------|----------|---------------------------|---------------|--|
| | | | | 75 | 75 TA | LL | | | | | |
| | Output range Natural gas G20 Natural gas G25.3 Propane G31 | 1.7 - 9.1 kW 1.5 - 8.5 kW 1.9 - 9.5 kW | Efficiency 93.0% | | | | | ₽ | aida. | | |
| | | | | | | 1 | | | | | |
| | 14 | | | | 1 | - | | 9 | | | |
| 東日 | | | | | Ĩ | | | | | | |
| | | F | 1 | 1 | | æ | | | | | |
| | | | | | | AL | | | | | |
| | | | | Z | K | | | | En rever la | | |
| 32 | Tunnel fires | | | | No. | - ale for | a street | tc | Scan this see the fire | s QR e bui | |

cod ırning.





Maestro 75 Tunnel Tall Eco Wave

Characteristics:

- Room divider with high glass window
- Optimum fire experience in 2 rooms

Choose your own size:





Keen to have even more atmosphere in your living room? Then pick me! I'm a little wider than the other members of my family and will make your home extra cosy as a result. And did you know that my zigzag burners can create even wider, deeper flames? For maximum enjoyment!



3-sided XTU 100XTU Eco Wave **3-sided XTL** 100XTL Eco Wave 130XTL Eco Wave

 $\square \lor$



3-sided 100XT/3 Eco Wave 130XT/3 Eco Wave



2-sided 100XT/2 Eco Wave 130XT/2 Eco Wave



Front 80XT Eco Wave 100XT Eco Wave 130XT Eco Wave 200XT Eco Wave



Tunnel

80XT Tunnel Eco Wave 100XT Tunnel Eco Wave 130XT Tunnel Eco Wave 150XT Tunnel Eco Wave 200XT Tunnel Eco Wave

flame

Vario Burner w

The wide, high, playfully zigzagging flames fill the whole fireplace.

control

Controlling your fire is really straightforward with the remote control that comes with me as standard

•

Also use our handy free app for full control over your fire.

Easy connection for control via your Home Domotica System



Black Ceraglass

useful to know

Easy release door system ē,

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.

PowerVent[®] PV[®]

PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.

Direct flue

We will happily give you full freedom to install your fire wherever you want. You could (for example) have the extraction for your fire run through the façade. The extractor will connect straight up to the fire and run with a 90° bend

choose your look

Interior

Black or ceraglass - which would suit your interior best?

Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

Last but not least, choose a suitable burner bed. The Metro collection comes in the following colours: log set brown, log set white, stone white, stone grey or glass anthracite.



Log set brown Log set white

Stone grey Stone white

Glass anthracite

Frames [+]

Our fires come with a frame as standard, but are also available with customised frames or frameless.

VBS VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

sustainability

Eco Wave



Metro 100XTU Eco Wave

Characteristics:

- Interior fully in line with your wishes
- Can also be suspended or built in semi-high






Metro 100XTL - 130XTL Eco Wave

Characteristics:

- Elegantly connects multiple rooms
- · Extremely well suited to being used in corners

Choose your own size:

100XTL

(see p. 91 for precise dimensions)

130XTL





Metro 100XT/3 Eco Wave

Characteristics:

- $\cdot \;\;$ Wide, elegant fire from every angle
- Extremely well suited to being installed in complete furniture

Choose your own size:

(see p. 92 for precise dimensions)









Metro 130XT/3 Eco Wave

Characteristics:

- · Choose the most beautiful log set or stone set
- Optional anti-reflective glass

Choose your own size:

(see p. 92 for precise dimensions)

100XT/3 130XT/3



Metro 100XT/2 Eco Wave



Metro 130XT/2 Eco Wave

Characteristics: Choose your own size: • Perfect for integrating into media wall (see p. 92 for precise dimensions) • Can be built in frameless 100XT/2 130XT/2 Efficiency Output range • 000 ECO [+] Natural gas G20 5.1 - 10.8 kW 89.6% Natural gas G25.3 4.1 - 10.2 kW PV[®] w VBS Propane G31 5.6 - 10.6 kW Scan this QR code

to see the fire burning.

41

Metro 80XT Eco Wave

Characteristics: Choose your own size: • Ample, playful view of the flames (see p. 92 for precise dimensions) • Perfect for smaller rooms 80XT 100XT 130XT 200XT 150XT Output range Efficiency \land VBS ECO Natural gas G20 88.9% 3.0 - 5.4 kW Natural gas G25.3 2.3 - 5.1 kW • PV[®] W Propane G31 2.8 - 5.7 kW



INTERIOR DE





Metro 100XT Eco Wave

Characteristics:

Output range

Propane G31

Natural gas G20

Natural gas G25.3

- · Choose modern: glass anthracite burner bed
- · Zigzagging fire over the full width and depth

4.3 - 9.6 kW

3.3 - 9.0 kW

4.1 - 9.1 kW

В

Choose your own size:

(see p. 92 for precise dimensions)





Metro 130XT - 150XT Eco Wave

Characteristics:

Choose your own size: • Fire over the full width and depth (see pp. 92 + 93 for precise dimensions) • Interior fully in line with your wishes 80XT 100XT 130XT 150XT 200XT Output range 130XT Output range 150XT PV[®] ididi ECO VBS Natural gas G20 5.1 - 10.8 kW 5.9 - 10.8 kW Natural gas G25.3 4.1 - 10.2 kW 4.9 - 10.3 kW • w Ŵ 5.6 - 10.6 kW 5.3 - 11.1 kW Propane G31 Efficiency 130XT Efficiency 150XT 89.6% DE



44

Scan this QR code to see the fire burning.

Metro 130XT Eco Wave





Metro 200XT Eco Wave

Characteristics:

 \cdot The largest of its type

Choose your own size:

(see p. 93 for precise dimensions)



Metro 80XT Tunnel Eco Wave

| | Characteristics: | | | | Choose your own size: | | | | | |
|-----|--|------------------------------|-----------------------------------|------------------------------------|-----------------------|----------|-----------------|----------------|--|--|
| | Room divider widthways Stunning flames at viewing | ıg height | | (see p. 93 for precise dimensions) | | | | | | |
| | | - | | 80XT | 100 | охт | 130XT | | | |
| | | | | | | | | | | |
| | | | | 150> | <u>кт</u> | 200XT | | | _ ! | |
| | Output range | | Efficiency | | | VBS | | | | |
| | Natural gas G20 Natural gas G25.3 | 3.0 - 5.4 kW 2.3 - 5.1 kW | 88.9% | LECO | | | | | | |
| | Propane G31 | 2.8 - 5.7 kW | A | Ŵ | | • | PV ^s | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | 1111 | | | |
| | | | | | | 1 | | | PERSONAL PROPERTY. | |
| | | | | | | | | | yrey 1 | |
| | | | | | | - | | | and a | |
| 100 | | | | | | | | | | |
| | | | | | | 12 | | | - 63 | |
| | | | 11100 | | | a series | 4 | F | 0 | |
| | | | | -1 | | | | | | |
| | A | | | | | - | | | | |
| AP | | | | | | | | - | | |
| | | | | | | - | | | | |
| | 1 | | | | | | | | | |
| | and the second | | | | | | | | | |
| | | | | 100 | | | | | 合成的资源。 [1] 建立合理的合理。 [1] 建立合理的合理。 | |
| | | - 40 | CR LESS | 1 | | | | Scan th | is QR code | |
| 46 | Tunnel fires | - Alexandre | A REAL PROPERTY OF TAXABLE PARTY. | | | | | to see the fir | e burning. | |





Metro 100XT Tunnel Eco Wave

Characteristics:

· Choose a beautiful log set or white stones

Choose your own size:

(see p. 93 for precise dimensions)





Metro 130XT Tunnel Eco Wave

Characteristics:

48

Tunnel fires

Choose your own size:

• Impressive fire over the entire width (see p. 92 for precise dimensions) • Subtle, elegant room divider 80XT 100XT 130XT 200XT 150XT Output range Efficiency 000 ECO VBS Natural gas G20 5.1 - 10.8 kW 89.6% Natural gas G25.3 **4.1 - 10.2 kW** PV³ W Ŵ • Propane G31 5.6 - 10.6 kW



Scan this QR code to see the fire burning.





Metro 150XT - 200XT Tunnel Eco Wave

Characteristics:

• Wide, generous tunnel fires

Choose your own size:

(see p. 93 for precise dimensions)





The feel of an open log fire... who doesn't want that? My stacked logs will give you the outdoor experience while you're nice and cosy indoors. The fact that I don't feature any ventilation openings means my design is always sleek. Feel free to complete my design by going for 2-sided or 3-sided glass.



3-sided 70/3 Eco Wave 80/3 Eco Wave

2-sided 70/2 Eco Wave 80/2 Eco Wave

50

flame

W Vario Burner

The wide, high, playfully zigzagging flames fill the whole fireplace.



Controlling your fire is really straightforward with the **remote control** that comes with me as standard

Also use our handy **free app** for full control over your fire.

 \wedge

Easy connection for control via your Home Domotica System



Black Ceraglass

useful to know

PowerVent®

PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.

[+] Frames

Our fires come with a frame as standard, but are also available with customised frames or frameless.

VBS VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

Interior

Black or ceraglass - which would suit your interior best?

Burner bed Lugo fires include a realistic log set in brown.



Log set brown

sustainability

Eco Wave

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.



Lugo 70/3 - 80/3 Eco Wave

| • Simple | Characteristics:Simple, playful flamesPerfect for smaller rooms | | | Choose your own size:(see p. 93 for precise dimensions)70/380/3 | | | | | | |
|--------------------|---|--|--|---|---|---|--|--------------------------|-----------------------|------|
| | Natural gas G25.3 | 3.4 - 6.9 kW 2.8 - 6.5 kW 3.2 - 6.3 kW | Output range 8 3.4 - 6.9 kW 2.8 - 6.5 kW 3.2 - 6.3 kW Efficiency 80/3 91.0% A | 0/3 | | | | Scan th to see the fi | I Code re burning. | |
| Lugo 80/3 Ec 52 | co Wave | | | | 5 | T | | | | FM N |





Lugo 70/2 - 80/2 Eco Wave

Characteristics:

- \cdot $\,$ Beautiful, two-sided view of the flames and plenty of logs
- Limited installation depth

Choose your own size:

(see p. 93 for precise dimensions)





Prefer something spectacular? Then I'm the gas fire for you! After all, I'm the largest atmospheric fire running on gas, making me the ultimate showpiece for large rooms. Despite my size, I can be built in extremely snugly or combined with a surround.



Front

Tunnel Cosmo Eco Wave Cosmo Tunnel Eco Wave



flame

Vario Burner w

 \wedge

The wide, high, playfully zigzagging flames fill the whole fireplace.





Controlling your fire is really straightforward with the remote control that comes with me as standard

Also use our handy **free app** for • full control over your fire.

> Easy connection for control via your Home Domotica System



Black

useful to know

Easy release door system Ĉ7

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.

PowerVent[®] BVE

PowerVent® is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.

VBS **VBS**

All DRU gas fires run on various types of gas. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

Interior

The Cosmo fire comes with a black internal lining as standard.

Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Surround

The Cosmo is also available with a stunning 'Murano' surround with stainless steel casing and limestone hearth.

Burner bed

Cosmo fires include a realistic log set in brown.



Log set brown

sustainability

Eco Wave



Cosmo Eco Wave

- Wide output range makes it very well suited
 - to use in hotels, restaurants and cafés
- Optional stunning 'Murano' surround







Cosmo Tunnel Eco Wave

- Ultimate eye-catching feature in large rooms
- Extremely beautiful, robust log set





My compact design makes me ideal for a corner. Though you can also install me against a flat wall in your living room, of course. Prefer to install me away from the retaining wall? No problem. I've got a special extension set for that. Whatever position you choose, I'll always ensure a beautiful glow effect from every angle.



2-sided Paco *Eco Wave*







Ceraglass

useful to know

PowerVent®

PowerVent[®] is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation.

VBS VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

The Paco is a great basic fire, but with one special detail: the flames are illuminated with a beautiful glow effect.

Burner bed

Paco fires all include a realistic brown log set.



Log set brown

sustainability

Eco Wave

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.



Characteristics

- Versatile fire for corner or flat wall
- Compact size with low output

Output range Natural gas G20 Natural gas G25.3

2.6 - 5.4 kW 2.1 - 5.0 kW

Efficiency 84.8%

В



₽V[®]







free-standing

Flexible is my middle name. For instance, you can configure my interior and exterior entirely yourself. Whether you want to hang me up or install me in the middle of your living room... I go well in any room. Even if that's exactly what you want to save money on.



3-sided

Diablo Next Circo Maestro 60/3 Module *Eco Wave* Passo *Eco Wave* Polo Trio





 \square

Dynamic Flame Burner®

Lively, natural flames built like a real log fire. The double burners ensure extra height and depth in the fire.

control

Controlling your fire is really straightforward with the **remote control** that comes with me as standard



Also use our handy **free app** for full control over your fire.

Easy connection for control via your Home Domotica System



Black

Ceraglass

useful to know

Easy release door system

Easy release door system means you do not have to use any force when opening your fire. What's more, this handy drop-down door is ideal for cleaning your fire.

VBS VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

Interior

Black or ceraglass - which would suit your interior best?

Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

The free-standing fires include a realistic log set in brown.



Log set brown

sustainability

Eco Wav

Reduce your gas consumption by up to 50%, without affecting the atmosphere in your home.

Eco Glow

Prefer to drop the heat and keep the atmosph Then switch to the illuminated glow bed.





Maestro 60/3 Module Eco Wave

Characteristics

- Luxury gas fire with the look of a log fire
- Available in white or grey aluminium casing

Aluminium cover:

• White or grey



64





Passo Eco Wave

- 180° view of stunning, high flames
- Available in 6 colours







Polo

- Elegant in small rooms
- Very low output





Diablo Next

- Goes well anywhere, without using up any floor space
- · Choose a black or alu-metallic finish



Circo

Characteristics:

- Robust atmospheric fire for any room
- Round glass pane providing ample view of the flames



70





Trio Black Edition

- Slender forms with robust look
- High flame picture from 3 sides





Small living room? I'm perfect for that. I'm nice and compact and very competitively priced, you see. Install me wherever you want, whether that's in a well-insulated property or one with an existing chimney. In short, if it's accessibility you want, then go for Global!



3-sided 60 *Triple* 100 *Triple* 120 *Triple*



2-sided 60 Corner 100 Corner 120 Corner



Front 55XT BF 55XT BF Cavity 70XT BF 100 BF 120 BF 55XT CF 70XT CF



72




control

Controlling your fire is really straightforward with the remote control that comes with me as standard



Easy connection for control via your Home Domotica System



Black

Classic stone (DRU Global)

useful to know

Direct flue 2

We will happily give you full freedom to install your fire wherever you want. You could (for example) have the extraction for your fire run through the façade. The extractor will connect straight up to the fire and run with a 90° bend

VBS VBS

All DRU gas fires come with the VBS system. This system ensures that, irrespective of the composition of various types of gas, your fire will always keep burning. Not got a permanent natural gas connection? No problem. Our fires also work on butane, biogas or biopropane.

choose your look

Interior

With our DRU Global fires, you have a choice of 3 types of internal lining.

Glass window

Choose our unique Clear View glass: anti-reflective glass providing an optimum view of the flames.

Burner bed

Last but not least, choose a suitable burner bed. The DRU Global collection comes in the following colours: log set brown, stone white or glass anthracite





Log set brown Stone white

anthracite



Global 60 Triple BF

Characteristics: Choose your own size: • View of the flames from 3 sides (see p. 94 for precise dimensions) • Very limited installation depth 60 Triple BF 100 Triple BF 120 Triple BF Efficiency Output range 000 — BF Natural gas G20 2.3 - 6.0 kW 91.5% Natural gas G25.3 2.1 - 5.4 kW VBS Propane G31 3.0 - 6.2 kW Scan this QR cod to see the fire burning 74





Global 100 Triple BF - 120 Triple BF

Characteristics:

- Panoramic view of the flames
- Choose your own burner bed (wood/stone/glass)

Choose your own size:

(see p. 94 for precise dimensions)

60 Triple BF 100 Triple BF

120 Triple BF





Global 60 Corner BF











Global 100 Corner BF - 120 Corner BF

Characteristics:

- Ample view of the flames due to minimal frames
- Extremely efficient

Choose your own size:

(see p. 95 for precise dimensions)



 Output range 100 Corner BF
 Output Range 100 Corner BF

 Natural gas G20
 2.8 - 7.5 kW
 2.8

 Natural gas G25.3
 2.6 - 7.1 kW
 2.6

 Propane G31
 3.5 - 7.0 kW
 3.5

 Efficiency 100 Corner BF
 Efff
 94.0%
 A





-000



Global 55XT Cavity BF







Global 55XT BF - 70XT BF

Characteristics:

- Extremely realistic high, dense flames
- Limited installation depth

Choose your own size:

(see p. 95 for precise dimensions)





Global 100 BF - 120 BF

Characteristics

- Ample view of the beautiful flames
- · Extremely efficiency and
- environmentally friendly

Choose your own size:





Output range 100 BF Natural gas G20 2.8 - 7.5 kW Natural gas G25.3 **2.6 - 7.1 kW** Propane G31 3.5 - 7.0 kW

Efficiency 100 BF 94.0% Α

| Output range 120 E | BF |
|--------------------|--------------|
| Natural gas G20 | 2.8 - 7.5 kW |
| Natural gas G25.3 | 2.6 - 7.1 kW |
| Propane G31 | 3.5 - 7.0 kW |

Efficiency 120 BF 94.0% A

 $\left| - \right|$ BF -868 VBS

Global 120 BF

80



Scan this QR code to see the fire burning.



E.H



Global 55XT CF

Characteristics

- Extensive choice of interiors
- · Is perfect to connect up to existing chimney

Choose your own size:

(see p. 95 for precise dimensions)









Global 70XT CF

Characteristics:

- Shallow fire that does not take up much space
- Perfect for snug fit in an existing chimney

Choose your own size:

(see p. 95 for precise dimensions)





a gas fire any where you like

PowerVent®

PV®

What is PowerVent®?

Gas fires obviously need extraction.

An existing chimney, an extractor leading out through the roof or the façade, or... our PowerVent[®]. PowerVent[®] is a plug & play concentric extraction system with fan. The flexibility of this extraction system makes it possible to install a gas fire in practically any situation. Living in an apartment, a terraced house or a property without a flue pipe? No problem! PowerVent[®] gives you full freedom to install your fire wherever you want.

Benefits of DRU PowerVent®

- Extraction of up to 100 metres with a variety of bends
- Flue pipe diameter of Ø 10 cm
- · Control unit in control hatch, with built-in pressure gauge
- Compact power box, which can be installed outdoors
 and indoors
- The perfect solution for terraced houses, apartments, restaurants, hotels, shops and farms





no chimney but still want to install a gas fire?

Existing chimney

Via roof • flexible pipe in chimney

No chimney



Via roof (flat) • straight or with bends



Via roof (sloping) • straight or with bends



Via wall / Direct flue • direct to the fire with a 90° bend to the exterior • possible on many of the models



Via wall • first 1 metre vertical, then a 90° bend



- Up to 100 metres horizontal
- Many bends possible
- Through crawl space



frameless and sleek finish

rannes



Frameless, bottom of frame removed



Standard frame



| And in case of the second s | Automatica and Proc. Proc. Alternation | | |
|---|--|--------------------|---------------------------|
| Fi | res that can be b | uilt in framele | ess |
| 3-sided fires | 2-sided fires | Front fires | Tunnel fires |
| Lugo 70/3 | Lugo 70/2 | Cosmo | Cosmo Tunnel |
| Lugo 80/3 | Lugo 80/2 | Maestro 60 | Maestro 75 Tunnel |
| Maestro 60/3 | Maestro 60/2 | Maestro 60 Tall | Maestro 75 Tunnel Tall |
| Maestro 60/3 Tall | Maestro 60/2 Tall | Maestro 75 | Metro 200XT Tunnel |
| Maestro 75XTU | Maestro 80/2 | Maestro 100 | |
| Maestro 80/3 | Maestro 105/2 | Metro 200XT | |
| Maestro 105/3 | Metro 100XT/2 | | |
| Metro 100XT/3 | Metro 130XT/2 | | |
| Metro 100XTL | | | |
| Metro 100XTU | | | |
| Metro 130XT/3 | | | |



With or without frames

All our gas fires come with a frame as standard. Prefer to integrate your gas fire seamlessly into the rest of your interior? You can! After all, for several of our fires it is possible to remove the bottom of the frame. Thus enabling the fire to be built snugly into a natural stone plateau or (for example) recessed into the floor, directly against the glass window.

Full customisation

Want to personalise your fire a bit more? For the built-in fires in the overview below, you choose the width of the frame yourself. Thus ensuring that the fire is the perfect fit in your interior.

| | Optiona | l frames | |
|--------------------------------|----------------------------|-----------------------------|--|
| 3-sided fires | 2-sided fires | Front fires | Tunnel fires |
| Lugo 70/3 1 | Lugo 70/21 | Metro 200XT ⁶ | Metro 200XT Tunnel ⁶ |
| Lugo 80/3 1 | Lugo 80/2 1 | Maestro 60 4 | Maestro 75 Tunnel ⁵ |
| Maestro 60/3 ² | Maestro 60/2 ² | Maestro 60 Tall 4 | Maestro 75 Tunnel Tall ⁵ |
| Maestro 60/3 Tall ² | Maestro 60/2 Tall ² | Maestro 75 5 | |
| Maestro 75XTU ² | Maestro 80/2 3 | Maestro 75 Tall 5 | |
| Maestro 80/3 ³ | Maestro 105/2 ³ | Maestro 100 5 | |
| Maestro 105/3 3 | Metro 100XT/21 | | |
| Metro 100XT/3 1 | Metro 130XT/2 1 | | |
| Metro 100XTL ¹ | | | |
| Metro 100XTU ¹ | | | |
| Metro 130XT/3 1 | | | |

¹ 100 mm, customised 90-200 mm

² 110 mm, customised 100-200 mm

- ³ 110 mm, customised 90-200 mm
- ⁴ 110 or 140 mm, customised 70-200 mm
- ⁵ 100 or 130 mm, customised 70-200 mm ⁶ 105 or 135 mm, customised 65-200 mm
 - -----



full control and ultimate convenience



RCH remote control (DRU)

extensive control

- functionality
- Honeywell controls



RCE remote control (DRU and DRU Global)

straightforward control

Mertik controls

Domotica Home Automation

• connection to various

- domotica systems
- for both Honeywell and Mertik controls

念

All remote controls feature electronic ignition, thermostat function and clock function.

MANUAL



App + communication module

Keen to have full control of the flame pattern? Then choose the Eco Wave communication module. The Drufire app (downloadable free of charge on iOS/Android) allows you not only to control the fire but also to set the flame pattern yourself. This is only suitable for fires with the Eco Wave system.



Management module

Specifically for the recreation sector (holiday parks, hotels, etc.), DRU and ICY have developed a module to allow local control of fires and remote control by a reception system.

- Fitted with a motion and light sensor to ensure smart energy consumption
- · Innovative and easy to use
- No separate remote control and no more batteries



Control hatch

When it comes to maintenance and faults, it is important to have access to the gas regulating block at all times. Which is why DRU has developed a special control hatch. This control hatch can be neatly integrated into the fire's set-up.

ventilation elements

Chimney breast ventilation to preserve your installation

Burning the fire generates heat in the chimney breast. In order to prevent cracking, it is important for the chimney breast to be ventilated. DRU has designed a variety of Lux elements for this purpose in ivory white, alu-metallic and anthracite. These are integrated into the casing and can be fitted with mood lighting.

Ivory white
 Alu-metallic
 Anthracite



Lux Sleeve 1 2



Lux Omni 🚺 2



Lux Fino 1 🕄



Lux Lignum 1



Lux 1 2

line drawings



#

350

de con

558

349

<u>teres</u>

min 148 max 188

795

148



31

595

147,5

 $\langle \rangle$

350







=

unne

 <u>30</u>

min 110 max 160

Line drawings

min

line drawings





(Iri)

line drawings





| Global 70XT BF | (p. 79) |
|----------------|---------|
|----------------|---------|



Ø150 Ø100

 \bigcirc

Global 5

Global 70XT CF



















811





technical specifications

| -6 | | | | | | | | class | | ue pipe Direct Aue 19,851 Direct Aue 19,851 Built-in depth App 19,881 Remote control | | | | | | |
|---|------|--------------------|------------------------------|--------------------------|--------------|---------------|-------------|----------------|-----------|---|--------------------------|-----------------|--------|---------------|----------------------|--|
| DRU GAS FIRES | | Net output k | Ŋ | | Efficier | ncy Energy | Jefficiency | | Flue pipe | Direct | flue (p. 85) Built-in | depth Contro | App IF | .881 Remot | e control IP. 881 | |
| (iri) | Page | Natural gas G20 | Natural gas G25.3 (NL) | Propane G31 | (%) G20 | | | Propane G31 | (mm) | | (mm) | | | RCE | RCH | |
| MAESTRO (closed combustion) | | 1 | | | | | () | | 1 | | | | | | | |
| Maestro 75XTU Eco Wave | 16 | 1.2 - 8.8 | 1.2 - 8.4 | 1.9 - 9.5 | 93.3 | А | А | А | 200/130 | + | 545 | + | + | - | + | |
| Maestro 60/3 Eco Wave | 18 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 94.3 | А | А | А | 200/130 | + | 495 | + | + | - | + | |
| Maestro 60/3 Tall Eco Wave | 19 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 96.3 | А | А | А | 200/130 | + | 495 | + | + | - | + | |
| Maestro 80/3 Eco Wave | 20 | 1.4 - 9.0 | 1.3 - 8.6 | 1.4 - 7.8 | 93.0 | А | А | А | 200/130 | + | 492 | + | + | - | + | |
| Maestro 105/3 Eco Wave | 21 | 2.5 - 10.3 | 2.1 - 9.8 | 2.6 - 10.5 | 91.2 | А | А | А | 200/130 | + | 495 | + | + | - | + | |
| Maestro 60/2 Eco Wave | 22 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 94.3 | А | А | А | 200/130 | + | 495 | + | + | - | + | |
| Maestro 60/2 Tall Eco Wave | 23 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 96.3 | А | А | А | 200/130 | + | 495 | + | + | - | + | |
| Maestro 80/2 Eco Wave | 24 | 1.4 - 9.0 | 1.3 - 8.6 | 1.4 - 7.8 | 93.0 | А | А | А | 200/130 | + | 492 | + | + | - | + | |
| Maestro 105/2 Eco Wave | 25 | 2.5 - 10.3 | 2.1 - 9.8 | 2.6 - 10.5 | 91.2 | А | А | А | 200/130 | + | 495 | + | + | - | + | |
| Maestro 60 Eco Wave | 26 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 94.3 | А | А | А | 200/130 | + | 472 | + | + | - | + | |
| Maestro 60 Tall Eco Wave | 27 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 96.3 | А | А | А | 200/130 | + | 472 | + | + | - | + | |
| Maestro 75 Eco Wave | 28 | 1.3 - 9.0 | 1.2 - 8.6 | 1.3 - 7.4 | 89.0 | А | А | А | 200/130 | + | 400 | + | + | - | + | |
| Maestro 75 Tall Eco Wave | 29 | 1.7 - 9.2 | 1.5 - 8.7 | 1.5 - 8.2 | 91.6 | А | А | А | 200/130 | + | 400 | + | + | - | + | |
| Maestro 100 Eco Wave | 30 | 2.3 - 10.0 | 1.9 - 9.3 | 2.3 - 10.2 | 92.1 | А | А | А | 200/130 | + | 400 | + | + | - | + | |
| Maestro 75 Tunnel Eco Wave | 32 | 1.7 - 9.1 | 1.5 - 8.5 | 1.9 - 9.5 | 93.0 | А | А | А | 200/130 | + | 478 | + | + | - | + | |
| Maestro 75 Tunnel Tall Eco Wave | 33 | 2.0 - 10.2 | 1.7 - 9.5 | 2.0 - 10.0 | 92.0 | Α | А | А | 200/130 | + | 478 | + | + | - | + | |
| METRO (closed combustion) | | | | | | | | | | | | | | | | |
| Metro 100XTU Eco Wave | 36 | 4.3 - 9.6 | 3.3 - 9.0 | 4.1 - 9.1 | 83.3 | В | В | В | 200/130 | + | 434 | + | + | - | + | |
| Metro 100XTL Eco Wave | 37 | 4.3 - 9.6 | 3.3 - 9.0 | 4.1 - 9.1 | 83.3 | В | В | В | 200/130 | + | 434 | + | + | - | + | |
| Metro 130XTL Eco Wave | 37 | 5.1 - 10.8 | 4.1 - 10.2 | 5.6 - 10.6 | 89.6 | А | А | А | 200/130 | + | 448 | + | + | - | + | |
| Metro 100XT/3 Eco Wave | 38 | 4.3 - 9.6 | 3.3 - 9.0 | 4.1 - 9.1 | 83.3 | В | В | В | 200/130 | + | 466 | + | + | - | + | |
| Metro 130XT/3 Eco Wave | 39 | 5.1 - 10.8 | 4.1 - 10.2 | 5.6 - 10.6 | 89.6 | А | А | А | 200/130 | - | 463 | + | + | - | + | |
| Metro 100XT/2 Eco Wave | 40 | 4.3 - 9.6 | 3.3 - 9.0 | 4.1 - 9.1 | 83.3 | В | В | В | 200/130 | + | 466 | + | + | - | + | |
| Metro 130XT/2 Eco Wave | 41 | 5.1 - 10.8 | 4.1 - 10.2 | 5.6 - 10.6 | 89.6 | А | А | А | 200/130 | + | 466 | + | + | - | + | |
| Metro 80XT Eco Wave | 42 | 3.0 - 5.4 | 2.3 - 5.1 | 2.8 - 5.7 | 88.9 | Α | В | А | 150/100 | - | 379 | + | + | - | + | |
| Metro 100XT Eco Wave | 43 | 4.3 - 9.6 | 3.3 - 9.0 | 4.1 - 9.1 | 83.3 | В | В | В | 200/130 | + | 380 | + | + | - | + | |
| Metro 130XT Eco Wave | 44 | 5.1 - 10.8 | 4.1 - 10.2 | 5.6 - 10.6 | 89.6 | А | А | А | 200/130 | - | 408 | + | + | - | + | |
| Metro 150XT Eco Wave | 44 | 5.9 - 10.8 | 4.9 - 10.3 | 5.3 - 11.1 | 87.9 | A | A | A | 200/130 | - | 409 | + | + | - | + | |
| Metro 200XT Eco Wave | 44 | 8.9 - 16.7 | 7.2 - 15.8 | 7.3 - 15.4 ¹⁾ | 90.3 | A | A | A | 200/130 | _ | 465 | + | + | _ | + | |
| Metro 80XT Tunnel Eco Wave | 40 | 3.0 - 5.4 | 2.3 - 5.1 | 2.8 - 5.7 | 88.9 | A | B | A | 150/100 | | 485 | | | | | |
| Metro 100XT Tunnel Eco Wave | 40 | 4.3 - 9.6 | 2.3 - 5.1 3.3 - 9.0 | 2.8 - 5.7 4.1 - 9.1 | 83.3 | B | B | B | 200/130 | - | 434 | + | + | - | + | |
| | | | | | | | | | | + | | + | + | | + | |
| Metro 130XT Tunnel Eco Wave Metro 150XT Tunnel Eco Wave | 48 | 5.1 - 10.8 | 4.1 - 10.2 | 5.6 - 10.6 | 89.6 97.0 | A | A | A | 200/130 | - | 476 | + | + | - | + | |
| | 49 | 5.9 - 10.8 | 4.9 - 10.3 | 5.3 - 11.1 | 87.9 | A | A | A | 200/130 | - | 475 | + | + | - | + | |
| Metro 200XT Tunnel Eco Wave | 49 | 8.9 - 16.7 | 7.2 - 15.8 | 7.3 - 15.41) | 90.3 | A | A | A | 200/130 | - | 467 | + | + | - | + | |

^{1]} Propane only in combination with Powervent®

| | / | 71 | 71 | 4 | oorsyste vente lp Clear | m1p.111 .841 | s (p. 10) dinternal | finishlf | .81 | | | 91 | | | / | | |
|--------|------------|--------|--------|-------------------------|-------------------------------|---------------------|------------------------|---------------|-------------|------------------|-------------|-------------------------------------|------------------|------------------|-----------------|----------------|---------------------|
| Weight | EcoWa | Eco Gl | Easy r | Power | Clear | View gru Interio | rlinter | | | | Wall | panel (p. 9) Burner | Burnerbe | ġ | | | |
| (kg) | ada ECO | ⊅ | Ċ, | ₽ V ^e | Option | Black | Cera- glass | Matt glass | Rib cast | Classic stone | Rib cast | Туре | Log set brown | Log set white | Stones white | Stones grey | Glass anthracite |
| 145 | + | + | - | + | + | + | + | - | - | _ | - | Dynamic Flame | + | _ | - | _ | _ |
| 130 | + | + | + | + | + | + | + | - | - | - | - | Burner® Dynamic Flame | + | - | _ | - | - |
| 155 | + | + | + | + | - | + | + | + | - | - | - | Burner® Dynamic Flame Burner® | + | - | - | - | _ |
| 100 | + | + | - | + | + | + | + | - | + | - | + | Dynamic Flame Burner® | + | - | - | - | - |
| 183 | + | + | + | + | + | + | + | - | + | - | + | Dynamic Flame | + | - | - | - | _ |
| 130 | + | + | + | + | + | + | + | - | - | - | - | Burner® Dynamic Flame Burner® | + | - | - | - | - |
| 155 | + | + | + | + | - | + | + | + | - | - | - | Dynamic Flame Burner® | + | - | - | - | _ |
| 100 | + | + | - | + | + | + | + | - | + | - | + | Dynamic Flame Burner® | + | - | - | - | - |
| 183 | + | + | + | + | + | + | + | - | + | - | + | Dynamic Flame Burner® | + | - | - | - | - |
| 130 | + | + | + | + | + | + | + | - | - | + | - | Dynamic Flame Burner® | + | - | - | - | - |
| 150 | + | + | + | + | + | + | + | + | - | - | - | Dynamic Flame Burner® | + | - | - | - | - |
| 80 | + | + | + | + | + | + | + | - | + | + | + | Dynamic Flame Burner® | + | - | - | - | - |
| 200 | + | + | + | + | + | - | + | + | - | - | - | Dynamic Flame Burner® | + | - | - | - | - |
| 100 | + | + | + | + | + | + | + | - | + | + | + | Dynamic Flame Burner® | + | - | - | - | - |
| 160 | + | + | + | + | + | + | - | - | - | - | - | Dynamic Flame Burner® | + | - | - | - | - |
| 212 | + | + | + | + | + | + | + | + | - | - | - | Dynamic Flame Burner® | + | - | - | - | - |
| | | | | | | | | | | | | | | | - | | |
| | | | | | | | | | | | | | | | | | |
| 145 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | - | + | - | + |
| 145 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | - | + | - | + |
| 160 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | + | + | + | - |
| 145 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | - | + | - | + |
| 160 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | + | + | + | - |
| 160 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | - | + | - | + |
| 160 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | + | + | + | - |
| 88 | + | - | - | + | + | + | + | - | - | - | - | Vario Burner | + | - | + | - | - |
| 145 | + | - | + | + | + | + | + | - | - | - | - | Vario Burner | + | - | + | - | + |
| 160 | + | - | + | + | + | + | + | - | - | - | - | Vario Burner | + | + | + | + | - |
| 160 | + | - | + | + | + | - | + | - | - | - | - | Vario Burner | + | + | + | + | - |
| 1 | | | | | 1 | | | | | 1 | | 1 | | | | | |

265

96

145

160

160

265

-

-

-

-

-

-

+

+

+

+

+

+

+

-

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

+

-

+

+

+

+

+

+

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

-

_

Vario Burner

Vario Burner

Vario Burner

Vario Burner

Vario Burner

Vario Burner

+

+

+

+

+

+

-

-

+

+

-

+

+

+

+

+

+

-

-

+

+

-

+

+

-

-

+

technical specifications

| | | | | | | | / / | 1955 | | | | | | | | |
|---------------------------------|--------|--------------------|------------------------------|----------------|------------|-----------------------|---------------------------------|----------------|-----------|--------|-------------|--------|--------|------|---------------------|--|
| DRUGASFIRES | | Net output k | N | | Efficier | ncy an | efficiency | clas | Flue pipe | 0 | flue lp. 85 | depth | App In | 881 | e control IP.881 | |
| DRUC | | Netou | | | Efficie | Energ | 3 | | Flue Pri | Direct | Builter | Contri | Appli | Remo | (b. 80, | |
| | Page | Natural gas G20 | Natural gas G25.3 (NL) | Propane G31 | (%) G20 | Natural gas G20 | Natural gas G25.3 (NL) | Propane G31 | (mm) | | (mm) | | | RCE | RCH | |
| LUGO (closed combustion) | 1 | 1 | | | 1 | | | 1 | | 1 | 1 | 1 | 1 | 1 | | |
| Lugo 70/3 Eco Wave | 52 | 3.4 - 6.9 | 2.8 - 6.5 | 3.2 - 6.3 | 91.0 | А | А | А | 150/100 | - | 400 | - | + | - | + | |
| Lugo 80/3 Eco Wave | 52 | 3.4 - 6.9 | 2.8 - 6.5 | 3.2 - 6.3 | 91.0 | А | А | А | 150/100 | - | 460 | - | + | - | + | |
| Lugo 70/2 Eco Wave | 53 | 3.4 - 6.9 | 2.8 - 6.5 | 3.2 - 6.3 | 91.0 | A | А | А | 150/100 | - | 400 | - | + | - | + | |
| Lugo 80/2 Eco Wave | 53 | 3.4 - 6.9 | 2.8 - 6.5 | 3.2 - 6.3 | 91.0 | А | А | Α | 150/100 | - | 460 | - | + | - | + | |
| COSMO (closed combustion) | | | | | | | | | | | | | | | | |
| Cosmo Eco Wave | 56 | 6.0 - 16.3 | 4.9 - 15.7 | - | 89.3 | Α | А | - | 200/130 | - | 709 | + | + | - | + | |
| Cosmo Tunnel Eco Wave | 57 | 6.0 - 16.3 | 4.9 - 15.7 | - | 89.3 | А | А | - | 200/130 | - | 706 | + | + | - | + | |
| | | | | | | | | | 1 | | | | | | | |
| PACO (closed combustion) | | | | | | | | | | | | | | | | |
| Paco Eco Wave | 60 | 2.6 - 5.4 | 2.1 - 5.0 | - | 84.8 | В | С | - | 150/100 | - | 563 | + | + | - | + | |
| | | | | | | | | | | | | | | | | |
| FREE-STANDING (closed combus | stion) | | | | | | | | | | | _ | | | | |
| Maestro 60/3 Module Eco Wave | 64 | 1.9 - 7.2 | 1.6 - 6.8 | 1.1 - 7.3 | 94.3 | A | А | А | 200/130 | + | 581 | - | + | - | + | |
| Passo Eco Wave | 66 | 1.2 - 6.4 | 0.9 - 6.1 | - | 93.0 | А | А | - | 150/100 | - | 452 | - | + | - | + | |
| Polo | 68 | 1.6 - 4.1 | 1.5 - 3.8 | 1.6 - 3.8 | 92.6 | А | А | А | 150/100 | - | 400 | - | - | + | - | |
| Diablo Next | 69 | 1.6 - 4.1 | 1.5 - 3.8 | 1.6 - 3.8 | 92.6 | Α | А | А | 150/100 | - | 372 | - | - | + | - | |
| Circo | 70 | 2.9 - 7.0 | 2.7 - 6.0 | 2.8 - 6.2 | 92.5 | А | А | А | 150/100 | - | 442 | - | - | + | - | |
| Trio Black Edition | 71 | 2.0 - 4.5 | 1.8 - 4.2 | 1.5 - 4.0 | 85.4 | В | В | С | 150/100 | - | 441 | - | - | + | - | |
| | | | | | | | | | | | | | | | | |
| GLOBAL (closed combustion) | | | | | | | | | | | | | | | | |
| Global 60 Triple BF | 74 | 2.3 - 6.0 | 2.1 - 5.4 | 3.0 - 6.2 | 91.5 | A | A | A | 150/100 | + | 340 | - | - | + | - | |
| Global 100 Triple BF | 75 | 2.8 - 7.5 | 2.6 - 7.1 | 3.5 - 7.0 | 94.0 | A | A | A | 150/100 | + | 386 | - | - | + | - | |
| Global 120 Triple BF | 75 | 2.8 - 7.5 | 2.6 - 7.1 | 3.5 - 7.0 | 94.0 | A | A | A | 150/100 | + | 386 | - | - | + | - | |
| Global 60 Corner BF | 76 | 2.3 - 6.0 | 2.1 - 5.4 | 3.0 - 6.2 | 91.5 | Α | A | A | 150/100 | + | 325 | - | - | + | - | |
| Global 100 Corner BF | 77 | 2.8 - 7.5 | 2.6 - 7.1 | 3.5 - 7.0 | 94.0 | A | A | А | 150/100 | + | 386 | - | - | + | - | |
| Global 120 Corner BF | 77 | 2.8 - 7.5 | 2.6 - 7.1 | 3.5 - 7.0 | 94.0 | Α | A | Α | 150/100 | + | 386 | - | - | + | - | |
| Global 55XT Cavity BF (UK only) | 78 | 1.8 - 3.2 | - | - | 77.4 | С | - | - | 150/100 | - | 255 | - | - | + | - | |
| Global 55XT BF | 79 | 2.6 - 4.6 | 2.4 - 4.3 | 3.1 - 4.4 | 92.6 | А | A | А | 150/100 | + | 340 | - | - | + | - | |
| Global 70XT BF | 79 | 3.4 - 5.7 | 3.1 - 5.3 | 3.2 - 5.5 | 92.7 | А | А | А | 150/100 | + | 340 | - | - | + | - | |
| Global 100 BF | 80 | 2.8 - 7.5 | 2.6 - 7.1 | 3.5 - 7.0 | 94.0 | А | А | А | 150/100 | + | 360 | - | - | + | - | |
| Global 120 BF | 80 | 2.8 - 7.5 | 2.6 - 7.1 | 3.5 - 7.0 | 94.0 | А | А | А | 150/100 | + | 360 | - | - | + | - | |
| | | | | | | | | | | | | | | | | |
| GLOBAL (open combustion) | | | | | | | | | | | | | | | | |
| Global 55XT CF | 82 | 2.8 - 3.7 | 2.6 - 3.5 | - | 74.4 | D | D | - | 100 | - | 345 | - | - | + | - | |
| Global 70XT CF | 83 | 3.1 - 4.5 | 2.7 - 4.4 | 4.0 - 4.6 | 77.1 | С | D | D | 100 | - | 345 | - | - | + | - | |

The flame pictures produced by the fires will differ according to the fuel used.



| Weight | EcoW | ave IP. T | low lp. The | elease | Joor system Nente In Clear | view gla | rinterna | Wall panel (P. 9) Burner Burner bed | | | | | | | | | |
|----------|------|-----------|-------------|--------|----------------------------------|----------|----------------|--|-------------|------------------|-------------|--------------------------|------------------|------------------|-----------------|----------------|---------------------|
| (kg) | ECO | ♥ | È | PV° | Option | Black | Cera- glass | Matt glass | Rib cast | Classic stone | Rib cast | Туре | Log set brown | Log set white | Stones white | Stones grey | Glass anthracite |
| | | | | | | | | | | | | | | | | | |
| 85 | + | - | - | + | - | + | + | - | - | - | - | Vario Burner | + | - | - | - | - |
| 96 | + | - | - | + | - | + | + | - | - | - | - | Vario Burner | + | - | - | - | - |
| 85 | + | - | - | + | - | + | + | - | - | - | - | Vario Burner | + | - | - | - | - |
| 96 | + | - | - | + | - | + | + | - | - | - | - | Vario Burner | + | - | - | - | - |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 350 | + | - | + | + | + | + | - | - | - | - | - | Vario Burner | + | - | - | - | - |
| 350 | + | - | + | + | + | + | - | - | - | - | - | Vario Burner | + | - | - | - | - |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 70 | + | - | - | + | - | - | + | - | - | - | - | Line Burner | + | - | - | - | - |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 160 | + | + | + | - | + | + | + | - | - | - | - | Dynamic Flame Burner® | + | - | - | - | - |
| 95 | + | - | + | - | - | + | - | - | - | - | - | Dynamic Flame Burner® | + | - | - | - | - |
| 68 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | - | - | - |
| 48 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | - | - | - |
| 110 | - | - | - | - | - | + | - | - | - | - | - | Line Burner | + | - | - | - | - |
| 80 | - | - | - | - | - | - | + | - | - | - | - | Line Burner | + | - | - | - | - |
| | | | | | | | | | | | | | | 1 | | | |
| | | | | | | | | | | | | | | | | | |
| 65 | - | - | - | - | - | + | + | - | _ | _ | - | Line Burner | + | - | + | - | _ |
| 100 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | + | - | + |
| 120 | | | - | | | | | | | | | Line Burner | | - | | | |
| | - | - | | - | - | + | + | - | - | - | - | | + | | + | - | + |
| 62 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | - | - | - |
| 100 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | - | - | - |
| 120 | - | - | - | - | - | + | + | - | - | - | - | Line Burner Truflame | + | - | + | - | + |
| 40 | - | - | - | - | + | - | + | - | - | - | - | Burner® | + | - | - | - | - |
| 90 | - | - | - | - | + | + | + | - | - | + | - | Truflame Burner® | + | - | - | - | - |
| 103 | - | - | - | - | + | + | + | - | - | + | - | Truflame Burner® | + | - | - | - | - |
| 75 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | + | - | + |
| 120 | - | - | - | - | - | + | + | - | - | - | - | Line Burner | + | - | + | - | + |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| 43 | - | - | - | - | + | + | + | - | - | + | - | Truflame Burner® | + | - | - | - | - |
| 63 | - | - | - | - | + | + | + | - | - | + | - | Truflame Burner® | + | - | - | - | - |
| | | 1 | | | | | | I | | | | burner- | | | | | |



i am everywhere

DRU Verwarming B.V. PO Box 1021 | 6920 BA Duiven Ratio 8 | 6921 RW Duiven The Netherlands T. +31 (0)26 - 319 5 319 www.dru.nl

Drugasar Ltd. Deans Road | Swinton Manchester | M27 OJH United Kingdom www.drufire.co.uk

DRU Belgium Kontichsesteenweg 69/1 2630 Aartselaar Belgium T. +44 (0)161 - 793 8700 T. +32 (0)3 - 450 7000 www.drufire.be







BY APPOINTMENT OF THE COURT OF THE NETHERLANDS

www.drufire.com



DRU: Member of the Spartherm-Group

Subject to changes. The colours in this brochure may vary from the actual products. Nothing in this publication may be used without prior written consent from DRU Verwarming B.V.

SOCIAL MEDIA : For further inspiration and information, please see one of our social media channels or scan the QR code